

**U** 



## CM1500 V: the high speed single disc machine suitable for restoration and dry polishing work

CM 1500 V is the high speed single disc machine from Comac that's suitable for restoration and dry polishing work. Extremely easy to handle, it is supplied with a vacuum mechanism for collecting dust in the dedicated container compartment.

Equipped with an exceptional balancing system and gas spring on the handle, the CM 1500 V is extremely pleasant to use, with no user-fatigue.

The CM 1500 V high speed professional single disc machine from Comac is the ideal solution for service and cleaning contractors operating in hotels, convention centers and for use in the HoReCa, health, public, automotive, retail and large-scale retailing sectors.



## Key elements and best technologies placed at the service of CM1500 V single disc machine, to guarantee optimal performance:

## THE ADVANTAGES OF CM1500 V

- High speed single disc machine recommended for restoration and dry polishing work
- Exceptional balancing system that makes it use extremely pleasant, with no operator fatigue. It also prevents the operator from burning and/or damaging the surface being treated, ensuring results with excellent shine.
- The brush conveys the dirt collected by the vacuum system into a collection bag, preventing the dust produced from being dispersed into the environment. The bag is easy to remove and replace.
- The direct drive requires no maintenance, allowing significant

economic savings over time.

- Extremely quiet operation, so it can also be used in environments where discretion and silence are necessary.
- The single disc machine is easy to move thanks to the special transportation wheels.



Extremely easy to handle thanks to the gas spring on the handle.





## STOP&GO

The system for making cleaning operations more economical, optimizing consumption and reducing emissions.

When the machine is temporarily idle, the solution flow is interrupted. In this way consumptions are optimized and wastes reduced.









Pad holder .

Extension cord with EU plug  $\diamond$ 

**Legend** • standard ◊ optional

Wide range of accessories available upon request.

TECHNICAL DATA					CM1500 V				
Drive	- Direct Drive								
Working width	mm 500								
Pad	mm Ø 500								
Brush rotations	rpm 1500								
Power supply	V/Hz 230/50*								
Max. power	W-Hp 1100								
Net weight	Kg 35								
Machine dimensions (Lxhxw)	mm								
Clear		Public	HoReCa	Automotive	Retail	Large-Scale	Transport		
Cicui	ctors					Retailing			

VVV professional people

COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY Tel. 045 8774222 - www.comac.it - com@comac.it

Comac S.p.A. org. cert. ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, SA 8000:2014

(f) (in (B) 🕑 🍈